


- 3" sandwich voice coil Kapton former
- Ferrite magnet
- · Progressive wave Konex spider
- Cloth surround with DAR technology
- Cone waterproof treatment
- 99.0 dB sensitivity


Specifications		
Nominal Diameter	388mm (15")	
Nominal Impedance	8Ω	
Rated Power AES (1)	350W	
Continuous Program Power (2)	700W	
Sensitivity @ 1W/1m (3)	99.0dB	
Voice Coil Diameter	75mm (3")	
Voice Coil Winding Depth	20mm	
Magnetic Gap Depth	10mm	
Flux Density	1.04T	
Magnet Weight	2045g	
Net Weight	8.3kg	


	HIHHHH	1		
Thiele & Small Parameters (4)				
Re	5.10Ω	Fs	44.0 Hz	
Qms	10.90	Qes	0.39	
Qts	0.38	Mms	90.8g	
Cms	144 µm/N	Bxl	18.12Tm	
Vas	149.11	Sd	855.3 cm <sup>2</sup>	
X max <sup>(5)</sup>	+/-6.5 mm	X var (6)	+/-10.0mm	
$\eta_0$	3.11%	Le (1kHz)	1.33mH	


Costructive Characteristics			
Magnet	: Ferrite		
Basket Material	: Aluminium Die-Cast		
Voice Coil Winding Material	: Copper		
Voice Coil Former Material	: Fiberglass		
Cone Material	: Paper		
Cone Treatment	: Surface Waterproof Treatment		
Surround Material	: Treated Cloth		
Dust Dome Material	: Solid Paper		











Note:

- 1 : Rated Power measured with 2 hours test with pink noise signal, 6dB crest factor, loudspeaker mounted on enclosure
- 2: Power on Continuous Program is defined as 3 dB greater than the Rated
- 3: Calculated by Thiele & Small parameters
- 4: Thiele & Small parameters measured with laser system without preconditioning test
- 5: Measured with respect to a THD of 10% using a parameter-based method
- 6: Value corresponding to a decay of the Force Factor, or Compliance, or both, equal to the 50% of the small signal value.
- 7: Drawing dimensions: mm
- 8: The notch around 400Hz on the frequency response is typical of the measurement on IEC baffle

Due to continuing product improvement, the features and the design are subject to change without notice.

21/03/12