- 3" sandwich voice coil fiberglass former
- Progressive wave Konex spider
- Cloth surround with DAR technology
- Autoclave waterproof cone treatment
- Ventilated voice coil to reduce power compression
- High excursion ferrite magnet circuit
- 96.9 dB sensitivity


Specifications			
Nominal Diameter	389mm (15")		
Nominal Impedance	8Ω		
Rated Power AES (1)	350W		
Continuous Program Power (2)	700W		
Sensitivity @ 1W/1m (3)	96.9dB		
Voice Coil Diameter	75mm (3")		
Voice Coil Winding Depth	24mm		
Magnetic Gap Depth	10mm		
Flux Density	1.04T		
Magnet Weight	1800g		
Net Weight	8.1kg		


Thiele & Small Parameters (4)				
Re	5.20Ω	Fs	38.5Hz	
Qms	10.61	Qes	0.47	
Qts	0.45	Mms	108.9g	
Cms	157µm/N	Bxl	17.07Tm	
Vas	163.01	Sd	855.3cm ²	
X max ⁽⁵⁾	+/-7.3mm	X var (6)	+/-10.8mm	
η_0	1.91%	Le (1kHz)	1.58mH	


Constructive Characteristics			
Magnet	: Ferrite		
Basket Material	: Aluminium Die-Cast		
Voice Coil Winding Material	: Copper		
Voice Coil Former Material	: Fiberglass		
Cone Material	: Paper		
Cone Treatment	: Humidity Resistant Pulp		
Surround Material	: Treated Cloth		
Dust Dome Material	: Solid Paper		




8 holes 6.0 x 9.0 mm on \bigcirc 371.0 mm









Noto:

- 1 : Rated Power measured with 2 hours test with pink noise signal, 6dB crest factor, loudspeaker mounted on enclosure
- 2: Power on Continuous Program is defined as 3 dB greater than the Rated Power
- 3: Calculated by Thiele & Small parameters
- 4: Thiele & Small parameters measured with laser system without preconditioning test
- 5: Measured with respect to a THD of 10% using a parameter-based method
- 6: Value corresponding to a decay of the Force Factor, or Compliance, or both, equal to the 50% of the small signal value.
- 7: Drawing dimensions: mm
- 8: The notch around 400Hz on the frequency response is typical of the measurement on IEC baffle

Due to continuing product improvement, the features and the design are subject to change without notice.

17/03/15