

XXLS 10" Subwoofer



Type Number: 830951

Features:

This new series of state-of-the-art subwoofers continue to enhance Peerless' reputation for delivering the highest quality components for bass in the world. Called the XXLS - for "Xpanded Extra Long Stroke" - these new audio transducers add even more excursion to the Peerless XLS line, and completely eliminate distortion.


Go to Architecture Notes



Specs:

		Power handling		
4	ohm	100h RMS noise test (IEC)		W
in 3	ohm	Long-term Max System Power		W
71.6	ohm	(IEC)		
2.6	ohm	Max linear SPL (rms) @ power		dB/W
1.8	mΗ	Short Term Max power		W
	uF	Voice Coil and Magnet Parameters		
		Voice coil diameter	51	mm
20.8	Hz	Voice coil height		mm
ns 8.4		Voice coil layers	4	
		Height of the gap	8	mm
0.3		Linear excursion +/-	13	mm
69		Max mech. excursion +/-		mm
10.2	Tm	Flux density of gap		mWb
ns 1.51	Kg/s	Total useful flux	2.3	mWb
ns 96.7	-	Diameter of magnet	147	mm
ns 0.6	mm/N	Height of magnet	35	mm
21.2	cm	Weight of magnet	2.2	Kg
352	cm ²			
90.3	dB			
	nin 3 71.6 2.6 1.8 20.8 ns 8.4 s 0.32 s 0.3 69 10.2 ns 1.51 ns 96.7 ns 0.6 21.2 352 s 103.4	nin 3 ohm 71.6 ohm 2.6 ohm 1.8 mH uF 20.8 Hz ns 8.4 s 0.32 s 0.3 69 10.2 Tm ns 1.51 Kg/s ns 96.7 g ns 0.6 mm/N 21.2 cm 352 cm² s 103.4 ltrs 90.3 dB	4 ohm 100h RMS noise test (IEC) 101	4 ohm 100h RMS noise test (IEC) 71.6 ohm (IEC) 2.6 ohm Max linear SPL (rms) @ power 1.8 mH Short Term Max power uF Voice Coil and Magnet Parameters Voice coil diameter 51 20.8 Hz Voice coil height 18 8.4 Voice coil layers 4 18 0.32 Height of the gap 8 19 0.3 Linear excursion +/- 10.2 Tm Flux density of gap 10.2 Tm Flux density of gap 11.51 Kg/s Total useful flux 2.3 1.51 Kg/s Total useful flux 2.3 1.51 Cg Diameter of magnet 147 1.51 Cg Com Weight of magnet 35 21.2 cm Weight of magnet 2.2 352 cm² 352 cm² 353 dB

Frequency:



Mechanical Dimensions:

