

KENWOOD

"Image Enhancer" technology ushers in a new era of Kenwood speaker development. Based on a patented Kenwood design, the simplicity of the gently curved exterior is not only attractive but also highly functional. All sharp corners are eliminated to prevent adverse sound wave reflection and interference. Even a new grill design is adopted to ensure the full benefit of "Image Enhancer" technology: flatter and wider dispersion of the sound image with noticeable improvement in vocals. Effort has also been made to strengthen bass sound response and achieve higher mid-range efficiency by increasing magnet size. Despite this adoption of thicker magnets, our engineers successfully reduced mounting depth, enabling easy installation in a greater variety of cabin environments. Incorporating superior diaphragm materials that can withstand power output in excess of 1,000 W and featuring innovative enclosures that enhance sound imaging, Kenwood speakers are the perfect match for the power and performance of our advanced car audio systems.



SPEAKERS



TECHNICALITY

IE SPEAKERS

The centerpiece of our 2003 lineup is the new IE speaker series featuring Kenwood's original Image Enhancer technology. While the innovative and aggressive look of these speakers and their distinctive 3-spoke grille are sure to grab attention, the attractive design is actually an integral part of the successful adaptation of Image Enhancer technology for the car audio environment. Delivering vast improvement in vocals as well as incredible sound staging and imaging quality, IE speakers are the new true voice of real sound.



KFC-7189ie



The "Image Enhancer" technology, patented worldwide by Kenwood in 1987, eliminates sharp corners, non-functional moldings and other factors that contribute unwanted sound wave reflection and interference. The result is a flatter and widely dispersed sound image with especially big improvements in the vocal range.




KFC-PSR71P



PSR SPEAKERS

In our quest to create the ultimate audio experience, Kenwood invests its entire treasure of technology. For the highest fidelity sound reproduction possible with superb linearity, the PSR series incorporates DualMags technology to deliver "clean" natural sound to your ears.



High-energy Neodymium magnets and an advanced repulsion magnetic circuit reproduce high-quality sound with a clear midrange and solid bass response. Featuring improved magnetic circuitry, the 4-layer voice coil delivers powerful bass sound with reduced loss of magnetic flux density. The result is reproduction of wide and dynamic sound with greater power throughout the flat frequency spectrum. The Pearl-Mica Injection-Moulded Cone not only boasts an attractive coloured cone surface but also features extreme rigidity to eliminate unnecessary resonance.

☑ HQ/DB SPEAKERS

In the development of the HQ/DB series, our goal was more dynamic sound. In order to provide both high power handling and rich bass, our attention focused on the rigidity of the cone, and our answer was the adoption of PBO, a superb material that features both light weight and excellent strength.




KFC-HQ178

KFC-HQ138



Designed specifically for the delivery of extra-high power of up to 1,000W, the dB+ woofer employs a PBO cone diaphragm that features faster propagation speed and excellent internal loss as well as greater stability. The rubber surround and rigid basket further enhance stability while the spiral vented pole piece and AFC spider greatly improve linearity and efficiency. The same design concept is also applied to the new full-range speakers.

KFC-HQ178 and KFC-HQ138 both employ this awesome PBO cone diaphragm. They also feature an aluminum bobbin voice coil to effectively suppress unwanted resonance while improving heat radiation. With the new dB+ Series of full-range speakers, you can easily bring the experience of high-quality "true" bass into your car.



Increased Magnet Size

Magnet size has been increased in several models to realize better mid-range efficiency and reinforce bass sound response.




Dual Voice Coil


By incorporating two 4Ω voice coils, Dual Voice Coil technology enables the same woofer to be used as a 2Ω or 8Ω impedance unit just by changing the wiring connection. This expanded flexibility gives users the choice to use this unique woofer in a wide variety of combinations and configurations.

☑ WOOFERS

Because car audio lovers demand not only volume but also high quality bass, we have adopted the Kenwood Original Shaped Diaphragm. Newly designed to handle both huge input and large amplitudes, this woofer diaphragm has a unique look to deliver a uniquely great bottom end.



KENWOOD



BRAND A

BRAND B

WOOX SUBWOOFER

Woox Technology is the result of our quest for powerful bass reproduction with a smaller drive unit and enclosure, and KSC-WA62RC is the subwoofer that embodies that technology. Maximum output of the built-in power amplifier is 100 W. With the wired remote control supplied with the unit, the driver can easily adjust input sensitivity and frequency cut-off or use the phase reverse function to ideally tune the subwoofer from comfort of the driver's seat.



KFC-WA62RC

☑ TWEETERS

New package component speakers feature a 5-way mounting tweeter as well as a protection device in the crossover network. Special mounting brackets provide the freedom to flexibly mount the tweeter five different ways: swivel flush, swivel surface, fixed surface, 70° angle and 45° angle. With a swivel angle of 12.5 degrees, this system can deliver optimum high-frequency sound in any car cabin environment. Boasting a new "transparent" look, the crossover network unit has a built-in protection circuit against excess input power.

KFC-WF305

300mm Component Subwoofer



FREE AIR

4 OHMS

PEAK POWER >>> 700W

- 300 mm Pearl Mica Injection-molded P.P.Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Easy Screw Bind Terminal
- Extended Pole Piece
- Black Painted Yoke & Top Plate
- Free Air Type

KFC-WF255

250mm Component Subwoofer



FREE AIR

4 OHMS

PEAK POWER >>> 600W

- 250 mm Pearl Mica Injection-molded P.P.Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Easy Screw Bind Terminal
- Extended Pole Piece
- Black Painted Yoke & Top Plate
- Free Air Type

KFC-W3085

300mm Component Subwoofer



8 OHMS

PEAK POWER >>> 700W

- 300 mm Pearl Mica Injection-molded P.P.Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Impedance: 8 Ohms
- Easy Screw Bind Terminal
- Extended Pole Piece
- Black Painted Yoke & Top Plate

KFC-W3005

300mm Component Subwoofer



4 OHMS

PEAK POWER >>> 700W

- 300 mm Pearl Mica Injection-molded P.P.Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Impedance: 4 Ohms
- Easy Screw Bind Terminal
- Extended Pole Piece
- Black Painted Yoke & Top Plate

Recommended Enclosure Size

Ported : 42.5 litres Port Size (Diameter/Length) : 76/152mm

Recommended Enclosure Size

Ported : 42.5 litres Port Size (Diameter/Length) : 76/152mm

Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Diameter	Mounting depth
■ KFC-WF305	Subwoofer	700W	93dB/W/m	25Hz-800Hz	1200g	300mm	135mm
■ KFC-WF255	Subwoofer	600W	91dB/W/m	28Hz-800Hz	1000g	250mm	115mm
■ KFC-W3085	Subwoofer	700W	93dB/W/m	25Hz-800Hz	1200g	300mm	135mm
■ KFC-W3005	Subwoofer	700W	93dB/W/m	25Hz-800Hz	1200g	300mm	135mm

KFC-W2585

250mm Component Subwoofer



8 OHMS

PEAK POWER >>> 600W

- 250 mm Pearl Mica Injection-molded P.P.Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Impedance: 8 Ohms
- Easy Screw Bind Terminal
- Extended Pole Piece
- Black Painted Yoke & Top Plate

Recommended Enclosure Size

Sealed : 28.3 litres Ported : 31.1 litres Port Size (Diameter/Length) : 76/127mm

KFC-W2505

250mm Component Subwoofer



4 OHMS

PEAK POWER >>> 600W

- 250 mm Pearl Mica Injection-molded P.P.Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Impedance: 4 Ohms
- Easy Screw Bind Terminal
- Extended Pole Piece
- Black Painted Yoke & Top Plate

Recommended Enclosure Size

Sealed : 28.3 litres Ported : 31.1 litres Port Size (Diameter/Length) : 76/127mm

KFC-W2005G

250mm Component Subwoofer



4 OHMS

PEAK POWER >>> 500W

- 200 mm Pearl Mica Injection-molded P.P.Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Easy Screw Bind Terminal
- Black Painted Steel Frame
- Extended Pole Piece
- Black Painted Yoke & Top Plate
- Supplied with a Grill

Recommended Enclosure Size

Ported : 15.9 litres Port Size (Diameter/Length) : 51/127mm

KFC-W1705

165mm Component Subwoofer



4 OHMS

PEAK POWER >>> 260W

- 170 mm Pearl Mica Injection-molded P.P.Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Easy Screw Bind Terminal
- Extended Pole Piece
- Black Painted Yoke & Top Plate
- Supplied with a Pair of Grill

Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Diameter	Mounting depth
■ KFC-W2585	Subwoofer	600W	91dB/W/m	28Hz-800Hz	1000g	250mm	115mm
■ KFC-W2505	Subwoofer	600W	91dB/W/m	28Hz-800Hz	1000g	250mm	115mm
■ KFC-W2005G	Subwoofer	500W	91dB/W/m	30Hz-1kHz	680g	200mm	100mm
■ KFC-W1705	Subwoofer	260W	90dB/W/m	30Hz-3.5kHz	340g	170mm	70mm

Tube Woofer / Powered Subwoofer

KSC-WA82RC

Powered Tube Woofer System



MAX POWER >>> 100W X 2

- Detachable wired remote control unit with extension cable (6 m)
- 200mm blue-coated paper cone woofer
- Remote controllable variable input sensitivity (gain)
- Remote controllable variable low-pass filter cut-off frequency (60, 80, 120, 160 Hz)
- Remote controllable phase reverse switch
- Speaker level input from OEM car radio for easy up-grade
- Gold-plated RCA input terminals
- Supplied with mounting belt

KSC-WA100C

250mm Powered Subwoofer



MAX POWER >>> 100W

- 250mm powered subwoofer with Pearl-Mica P.P. Cone
- Ported enclosure
- Dual voice coil woofer
- Phase control
- Input Sensitivity control
- Gold plated RCA input and output
- Speaker level input
- Mounting belts included for easy installation

TUBE WOOFER WITH REMOTE CONTROL CAPABILITY

The tube-type speaker enclosure reproduces richer bass sound, and the large concave center cap effectively eliminates unwanted distortion. On the rear panel, parallel fins improve heat dissipation of the built-in amp while the Kenwood triangle LED lends an attractive accent to the rear view.

The remote control unit can be detached from the speaker system and operated via a shielded mini-DIN cable.



Remote Control



Rear

Woox Subwoofer

KSC-WA62RC

Powered Woofer System



MAX POWER >>> 90W X 2

- 130mm gold-coated concave cone drive unit
- 165mm gold-coated concave cone passive radiator
- Remote controllable variable input sensitivity
- Remote controllable variable low-pass filter cut-off frequency (60, 80, 120, 160Hz)
- Remote controllable phase reverse switch
- Speaker level input from OEM car radio for easy up-grade
- Horizontal or vertical installation capability
- Supplied with mounting kit



Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Diameter	Mounting depth
■ KSC-WA100	Subwoofer	100W	—	18Hz-1kHz	705g	—	—
■ KSC-WA82RC	Subwoofer	100W+100W(MAX)	—	20Hz-1kHz	568g	—	—
■ KSC-WA62RC	Subwoofer	90W+90W(MAX)	—	35Hz-1.5kHz	336g	165mm	—

Tweeters

KFC-HQT14

19mm Component Tweeter



ADJUST DIRECTION PEAK POWER >>> 200W

- Adjustable direction 12.5° offset from centre
- 19mm Titanium Dome Tweeter with neodymium magnet
- 5-way tweeter mounting (Swivel Flush, Swivel Surface, Fixed Surface, 45 degrees, 70 degrees)

KFC-T204

19mm Component Tweeter



ADJUST DIRECTION PEAK POWER >>> 170W

- Adjustable direction 12.5° offset from centre
- 19mm PEI Dome Tweeter with neodymium magnet
- 5-way tweeter mounting (Swivel Flush, Swivel Surface, Fixed Surface, 45 degrees, 70 degrees)

KFC-ST30

20mm Component Tweeter



PEAK POWER >>> 120W

- 20mm PI balanced dome tweeter
- Supplied with In-line crossover network

ADJUSTABLE DIRECTION TWEETER

ADJUST DIRECTION

Many standard speakers can play high frequencies, but because of where they may be positioned the listener may never hear them. Since high frequency sound is very directive and speakers are not always placed in the best position, it makes a lot of sense to have a tweeter which can be angled towards the listener's ears. Kenwood's HQ-series has introduced Adjustable Direction Tweeter which enables an adjustment between +/- 15 degrees in order to orient direct sound to the listening position.



5-WAY MOUNTING




Swivel Flush




Swivel Surface



Fixed Surface



45 degrees



70 degrees

Crossover Network

KPX-H403

High Pass Passive Crossover Network

- Guard circuit protects against excessive tweeter inputs
- 2-stage attenuation for tweeter
- 5,000Hz crossover
- -6dB/oct high cut, -12dB/oct low cut



Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Mounting depth
■ KFC-HQT14	Tweeter	200W	91 dB/W/m	3.5kHz-90kHz	4.5g	19mm
■ KFC-T204	Tweeter	170W	91 dB/W/m	3.5kHz-32kHz	4.5g	19mm
■ KFC-ST30	Tweeter	120W	90dB/W/m	5kHz-25kHz	0.9g	20mm

KFC-PSR901

High Performance 2-Way Speaker



NEW DualMags
ADVANCED LIGHTWEIGHT SPEAKERS

PBO

PEAK POWER >>> **260W**

2 WAY 2 SPEAKERS

- 6" x 9" PBO* cone woofer
- Rubber edge for high durability & high sound quality
- 30mm Hypernly dome tweeter with neodymium magnet
- DualMags; advanced lightweight magnets with repulsion magnetic circuit
- Aluminium diecast magnet holder with radial cooling fins
- Gold-plated input terminals

(*PBO=Poly para-phenylene Benzobis Oxazole)

KFC-PSR701

2-way High Performance Flush Mount Speaker System



NEW DualMags
ADVANCED LIGHTWEIGHT SPEAKERS

EUROSIZE

PBO

PEAK POWER >>> **200W**

2 WAY 2 SPEAKERS

- 170mm PBO*-Pearl Mica Diaphragm Cone Woofer (Silver Color)
- Rubber Edge for High Durability & High Sound Quality
- 20mm up-down Angle Adjustable Hypernyle Dome Tweeter
- Bridge Type Tweeter Support for Clear Sound
- Gold-plated Input Terminals

(*PBO=Poly para-phenylene Benzobis Oxazole)

KFC-PSR501

2-way High Performance Flush Mount Speaker System



NEW DualMags
ADVANCED LIGHTWEIGHT SPEAKERS

PBO

PEAK POWER >>> **160W**

2 WAY 2 SPEAKERS

- 130mm PBO*-Pearl Mica Diaphragm Cone Woofer (Silver Color)
- Rubber Edge for High Durability & High Sound Quality
- 20mm up-down Angle Adjustable Hypernyle Dome Tweeter
- Bridge Type Tweeter Support for Clear Sound
- Gold-plated Input Terminals

(*PBO=Poly para-phenylene Benzobis Oxazole)

KFC-PSR401

2-way High Performance Flush Mount Speaker System



NEW DualMags
ADVANCED LIGHTWEIGHT SPEAKERS

PBO

PEAK POWER >>> **100W**

2 WAY 2 SPEAKERS

- 100mm Pearl Mica Cone
- 100mm PBO*-Pearl Mica Diaphragm Cone Woofer (Silver Color)
- Rubber Edge for High Durability & High Sound Quality
- 20mm Hypernyle Dome Tweeter
- Bridge Type Tweeter Support for Clear Sound
- Gold-plated Input Terminals

(*PBO=Poly para-phenylene Benzobis Oxazole)

Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Mounting depth
■ KFC-PSR901	2-Way 2-Speaker	260W	93dB/W/m	25Hz-70kHz	60gx2	77mm
■ KFC-PSR701	2-Way 2-Speaker	200W	92dB/W/m	30Hz-70kHz	17gx2	60mm
■ KFC-PSR501	2-Way 2-Speaker	160W	91dB/W/m	40Hz-70kHz	17gx2	48mm
■ KFC-PSR401	2-Way 2-Speaker	100W	90dB/W/m	45Hz-70kHz	9.3gx2	42mm

Package Systems

KFC-PSR71P

High Performance Flush Mount Component Speaker Package



NEW DualMags
ADVANCED LIGHTWEIGHT SPEAKERS

PBO ADJUST DIRECTION

PEAK POWER >>> **200W**

2 WAY COMPONENT

- 170mm PBO*-Parl Mica Diaphragm Cone Woofer (Silver Color)
 - Rubber Edge for High Durability & High Sound Quality
 - 25mm Angle Adjustable Hypernyle Dome Tweeter
 - New Designed See-through External Crossover Network Unit
 - Tweeter Volume Level Adjustable (0/-2/-4dB)
 - Gold-plated Input Terminals
- (*PBO=Poly para-phenylene Benzobis Oxazole)

KFC-PSR51P

High Performance Flush Mount Component Speaker Package



NEW DualMags
ADVANCED LIGHTWEIGHT SPEAKERS

PBO ADJUST DIRECTION

PEAK POWER >>> **160W**

2 WAY COMPONENT

- 130mm PBO*-Parl Mica Diaphragm Cone Woofer (Silver Color)
 - Rubber Edge for High Durability & High Sound Quality
 - 25mm Angle Adjustable Hypernyle Dome Tweeter
 - New Designed See-through External Crossover Network Unit
 - Tweeter Volume Level Adjustable (0/-2/-4dB)
 - Gold-plated Input Terminals
- (*PBO=Poly para-phenylene Benzobis Oxazole)

Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Mounting depth
■ KFC-PSR71P	Pack of Woofer & Tweeter	200W	92dB/W/m	30Hz-70kHz	(W) 17x2g / (T) 7.4g	(W) 60mm
■ KFC-PSR51P	Pack of Woofer & Tweeter	160W	91dB/W/m	40Hz-70kHz	(W) 17x2g / (T) 7.4g	(W) 48mm

KFC-W1225DB

Dual Voice Coil 300mm subwoofer



PBO DUAL VOICE COIL **PEAK POWER >>> 600W+600W**

- 300 mm PBO* Diaphragm Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Rubber Wide Edge for High Durability & High Sound Quality
- Dual Voice Coil
- Gold-plated 2-way Screw Bind Input Terminals
- Spiral Vented/Extended Pole Piece
- Black Painted Yoke & Top Plate

(*PBO=Poly para-phenylene Benzobis Oxazole)

Recommended Enclosure Size

Sealed : 28.3 litres Ported : 42.5 litres Port Size (Diameter/Length) : 76/178mm

KFC-W1205DB

300mm Component Subwoofer



PBO 4 OHMS **PEAK POWER >>> 1200W**

- 300 mm PBO* Diaphragm Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Rubber Wide Edge for High Durability & High Sound Quality
- Gold-plated 2-way Screw Bind Input Terminals
- Spiral Vented/Extended Pole Piece
- Black Painted Yoke & Top Plate

(*PBO=Poly para-phenylene Benzobis Oxazole)

Recommended Enclosure Size

Sealed : 28.3 litres Ported : 42.5 litres Port Size (Diameter/Length) : 76/178mm

KFC-W1025DB

Dual Voice Coil 250mm subwoofer



PBO DUAL VOICE COIL **PEAK POWER >>> 500W+500W**

- 250 mm PBO* Diaphragm Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Rubber Wide Edge for High Durability & High Sound Quality
- Dual Voice Coil
- Gold-plated 2-way Screw Bind Input Terminals
- Spiral Vented/ Extended Pole Piece
- Black Painted Yoke & Top Plate

(*PBO=Poly para-phenylene Benzobis Oxazole)

Recommended Enclosure Size

Sealed : 22 litres Ported : 28.3 litres Port Size (Diameter/Length) : 76/178mm

KFC-W1005DB

250mm Component Subwoofer



PBO 4 OHMS **PEAK POWER >>> 1000W**

- 250 mm PBO* Diaphragm Cone Woofer (Silver Colour)
- Kenwood Original Shaped Rigid Diaphragm
- Rubber Wide Edge for High Durability & High Sound Quality
- Gold-plated 2-way Screw Bind Input Terminals
- Spiral Vented/Extended Pole Piece
- Black Painted Yoke & Top Plate

(*PBO=Poly para-phenylene Benzobis Oxazole)

Recommended Enclosure Size

Sealed : 22 litres Ported : 28.3 litres Port Size (Diameter/Length) : 76/178mm

Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Diameter	Mounting depth
■ KFC-W1225DB	Subwoofer	600W+600W	93dB/W/m	20Hz-600Hz	1500g	300mm	153mm
■ KFC-W1205DB	Subwoofer	1200W	93dB/W/m	20Hz-600Hz	1500g	300mm	153mm
■ KFC-W1025DB	Subwoofer	500W+500W	92dB/W/m	25Hz-700Hz	1200g	250mm	141mm
■ KFC-W1005DB	Subwoofer	1000W	92dB/W/m	25Hz-700Hz	1200g	250mm	141mm

IE Speakers

NEW

KFC-7189ie

4-way Flush Mount Speaker System



PEAK POWER >>> **320W**

4 WAY 4 SPEAKERS

- 7"x 10" Pearl Mica Injection-moulded P.P.Cone Woofer
- 50mm PEI Cone Midrange
- 20mm Balanced Dome Tweeter
- 20mm Dome Super Tweeter
- 3-spoke Original Grille Design

NEW

KFC-6989ie

4-way Flush Mount Speaker System



PEAK POWER >>> **280W**

4 WAY 4 SPEAKERS

- 6"x 9" Pearl Mica Injection-moulded P.P.Cone Woofer
- 50mm PEI Cone Midrange
- 20mm Balanced Dome Tweeter
- 20mm Dome Super Tweeter
- 3-spoke Original Grille Design

NEW

KFC-6979ie

3-way Flush Mount Speaker System



PEAK POWER >>> **240W**

3 WAY 4 SPEAKERS

- 6"x 9" Pearl Mica Injection-moulded P.P.Cone Woofer
- 50mm PEI Cone Midrange
- 20mm Dome Tweeter x 2
- 3-spoke Original Grille Design

NEW

KFC-6959ie

2-way Flush Mount Speaker System



PEAK POWER >>> **200W**

2 WAY 2 SPEAKERS

- 6"x 9" Pearl Mica Injection-moulded P.P.Cone Woofer
- 50mm PEI Cone Midrange
- 3-spoke Original Grille Design

Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Mounting depth
■ KFC-7189ie	4-Way 4-Speaker	320W	93dB/W/m	25Hz-30kHz	440g	82mm
■ KFC-6989ie	4-Way 4-Speaker	280W	93dB/W/m	28Hz-30kHz	340g	78mm
■ KFC-6979ie	3-Way 4-Speaker	240W	93dB/W/m	28Hz-28kHz	280g	78mm
■ KFC-6959ie	2-Way 2-Speaker	200W	92dB/W/m	28Hz-26kHz	270g	75mm

NEW

KFC-2089ie

3-way Flush Mount Speaker System



PEAK POWER >>> **350W**

3 WAY 3 SPEAKERS

- 200mm Pearl Mica Injection-moulded P.P.Cone Woofer
- 55mm PEI Balanced Dome Midrange
- 9mm PEI Dome Tweeter
- 3-spoke Original Grille Design

NEW

KFC-1789ie

3-way Flush Mount Speaker System



PEAK POWER >>> **220W**

3 WAY 3 SPEAKERS

- 170mm Pearl Mica Injection-moulded P.P.Cone Woofer
- 30mm PEI Balanced Dome Midrange
- 9mm PEI Dome Tweeter
- 3-spoke Original Grille Design

NEW

KFC-1779ie

2-way Flush Mount Speaker System



PEAK POWER >>> **180W**

2 WAY 2 SPEAKERS

- 170mm Pearl Mica Injection-moulded P.P.Cone Woofer
- 30mm PEI Balanced Dome Tweeter
- 3-spoke Original Grille Design

NEW

KFC-1389ie

3-way Flush Mount Speaker System



PEAK POWER >>> **150W**

3 WAY 3 SPEAKERS

- 130mm Pearl Mica Injection-moulded P.P.Cone Woofer
- 25mm PEI Balanced Dome Midrange
- 9mm PEI Dome Tweeter
- 3-spoke Original Grille Design

Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Mounting depth
■ KFC-2089ie	3-Vias 3-Colunas	350W	92dB/W/m	25Hz-30kHz	500g	92mm
■ KFC-1789ie	3-Way 3-Speaker	220W	92dB/W/m	25Hz-30kHz	285g	63.5mm
■ KFC-1779ie	2-Way 2-Speaker	180W	92dB/W/m	30Hz-25kHz	230g	60.2mm
■ KFC-1389ie	3-Way 3-Speaker	150W	91dB/W/m	40Hz-30kHz	230g	52mm

NEW

KFC-1379ie

2-way Flush Mount Speaker System



PEAK POWER >>> 150W

2 WAY 2 SPEAKERS

- 130mm Pearl Mica Injection-moulded P.P.Cone Woofer
- 25mm PEI Balanced Dome Tweeter
- 3-spoke Original Grille Design

NEW

KFC-1079ie

2-way Flush Mount Speaker System



PEAK POWER >>> 100W


2 WAY 2 SPEAKERS

- 100mm Pearl Mica Injection-moulded P.P.Cone Woofer
- 25mm PEI Balanced Dome Tweeter
- 3-spoke Original Grille Design

Marine Speaker System

KFC-1651MRW

Marine Speaker System



PEAK POWER >>> 120W

2 WAY 2 SPEAKERS

- 160mm White Injection-molded P.P.Cone Woofer
- 25mm PEI balanced dome tweeter
- Gold-plated input terminals
- Supplied with a Pair of Grills (White colour)



Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Mounting depth
■ KFC-1379ie	2-Way 2-Speaker	150W	91dB/W/m	40Hz-25kHz	160g	46mm
■ KFC-1079ie	2-Way 2-Speaker	100W	90dB/W/m	45Hz-25kHz	160g	42.8mm
■ KFC-1651MRW	2-Way 2-Speaker	120W	86dB/W/m	60Hz-20kHz	283g	55mm

KFC-HQ718

High Quality 3-Way Speaker

HQ
High Quality Series



Multipule component crossover network

PBO

PEAK POWER >>> **320W**

3 WAY 3 SPEAKERS

- 7" x 10" PBO* cone woofer
- 70mm PEI cone midrange
- 25mm PEI balanced dome tweeter
- Rubber edge for high durability & high sound quality
- Gold-plated input terminals

(*PBO=Poly para-phenylene Benzobis Oxazole)

KFC-HQ698

High Quality 3-Way Speaker

HQ
High Quality Series



Multipule component crossover network

PBO

PEAK POWER >>> **300W**

3 WAY 3 SPEAKERS

- 6" x 9" PBO* cone woofer
- 70mm PEI cone midrange
- 25mm PEI balanced dome tweeter
- Rubber edge for high durability & high sound quality
- Gold-plated input terminals

(*PBO=Poly para-phenylene Benzobis Oxazole)

KFC-HQ178

2-way High Quality Flush Mount Speaker System

HQ
High Quality Series

EUROSIZE



PBO

PEAK POWER >>> **240W**

2 WAY 2 SPEAKERS

- 170mm PBO* Diaphragm Cone Woofer (Silver Color)
- Rubber Edge for High Durability & High Sound Quality
- 19mm PPTA Dome Tweeter
- Gold-plated Input Terminals

(*PBO=Poly para-phenylene Benzobis Oxazole)

KFC-HQ138

2-way High Quality Flush Mount Speaker System

HQ
High Quality Series



PBO

PEAK POWER >>> **160W**

2 WAY 2 SPEAKERS

- 130mm PBO* Diaphragm Cone Woofer (Silver Color)
- Rubber Edge for High Durability & High Sound Quality
- 19mm PPTA Dome Tweeter
- Gold-plated Input Terminals

(*PBO=Poly para-phenylene Benzobis Oxazole)

Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Mounting depth
■ KFC-HQ718	3-Way 3-Speaker	320W	93dB/W/m	22Hz-33kHz	510g	82mm
■ KFC-HQ698	3-Way 3-Speaker	300W	93dB/W/m	22Hz-33kHz	510g	83mm
■ KFC-HQ178	2-Way 2-Speaker	240W	93dB/W/m	25Hz-40kHz	355g	64mm
■ KFC-HQ138	2-Way 2-Speaker	160W	92dB/W/m	28Hz-40kHz	255g	55mm

Regular Speakers

NEW

KFC-138MT

3-way Flush Mount Speaker System



PEAK POWER >>> 180W

3 WAY 3 SPEAKERS

- 130mm Pearl Mica Injection-moulded P.P.Cone Woofer
- 25mm PEI Balanced Dome Midrange
- 9mm Ceramic Tweeter

NEW

KFC-137MT

2-way Flush Mount Speaker System



PEAK POWER >>> 140W

2 WAY 2 SPEAKERS

- 130mm Pearl Mica Injection-moulded P.P.Cone Woofer
- 25mm PEI Balanced Dome Tweeter

KFC-P703

Integrated Component System

EUROSIZE



ADJUST DIRECTION

PEAK POWER >>> 170W

2 WAY COMPONENT

- 170mm Pearl-Mica cone woofer with strontium-ferrite magnet and rubber surround
- 19mm PEI Dome Tweeter with neodymium magnet
- 5-way tweeter mounting (Swivel Flush, Swivel Surface, Fixed Surface, 45 degrees, 70 degrees)

KFC-P503

Integrated Component System



ADJUST DIRECTION

PEAK POWER >>> 170W

2 WAY COMPONENT

- 130mm Pearl-Mica cone woofer with strontium-ferrite magnet and rubber surround
- 19mm PEI Dome Tweeter with neodymium magnet
- 5-way tweeter mounting (Swivel Flush, Swivel Surface, Fixed Surface, 45 degrees, 70 degrees)

KFC-P403

Integrated Component System



ADJUST DIRECTION

PEAK POWER >>> 170W

2 WAY COMPONENT

- 100mm Pearl-Mica cone woofer with strontium-ferrite magnet and rubber surround
- 19mm PEI Dome Tweeter with neodymium magnet
- 5-way tweeter mounting (Swivel Flush, Swivel Surface, Fixed Surface, 45 degrees, 70 degrees)

KFC-4675

4"X6" Speaker



PEAK POWER >>> 60W

2 WAY 2 SPEAKERS

- 95 X 153mm woofer with high-strength injection- moulded polypropylen cone
- 25mm PPTA film balanced dome tweeter with neodilum magnet

Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Mounting depth
■ KFC-138MT	3-Way 3-Speaker	180W	91dB/W/m	40Hz-30kHz	230g	52mm
■ KFC-137MT	2-Way 2-Speaker	140W	90dB/W/m	45Hz-26kHz	160g	46mm
■ KFC-P703	Pack of Woofer & Tweeter	170W	92dB/W/m	30Hz-32kHz	(W) 330g / (T) 4.5g	(W) 63mm
■ KFC-P503	Pack of Woofer & Tweeter	170W	91dB/W/m	40Hz-32kHz	(W) 230g / (T) 4.5g	(W) 48mm
■ KFC-P403	Pack of Woofer & Tweeter	170W	91dB/W/m	50Hz-32kHz	(W) 230g / (T) 4.5g	(W) 46mm
■ KFC-4675	2-Way 2-Speaker	60W	90dB/W/m	50Hz-25kHz	83g	41mm

NEW

KFC-6949S

Dual Cone Speaker System



PEAK POWER >>> 160W

Dual Cone

- 6"x 9" Pearl Mica Injection-moulded P.P.Cone Woofer

KFC-1768S

2-Way Flush Mount Speaker

EUROSIZE



PEAK POWER >>> 140W

2 WAY 2 SPEAKERS

- 170mm Pearl-Mica injection-molded P.P. cone woofer
- 35mm PEI balanced dome tweeter
- Gold-plated input terminals

KFC-1758S

Dual Cone Flush Mount Speaker

EUROSIZE



PEAK POWER >>> 140W

Dual Cone

- 170mm Pearl-Mica injection-molded P.P. cone woofer
- Gold-plated input terminals

KFC-1368S

2-Way Flush Mount Speaker

PEAK POWER >>> 110W

2 WAY 2 SPEAKERS

- 130mm Pearl-Mica injection-molded P.P. cone woofer
- 30mm PEI balanced dome tweeter
- Gold-plated input terminals

KFC-1358S

Dual Cone Flush Mount Speaker

PEAK POWER >>> 110W

Dual Cone

- 130mm Pearl-Mica injection-molded P.P. cone woofer
- Gold-plated input terminals

KFC-1068S

2-Way Flush Mount Speaker

PEAK POWER >>> 90 W

2 WAY 2 SPEAKERS

- 100mm Pearl-Mica injection-molded P.P. cone woofer
- 30mm PEI balanced dome tweeter
- Gold-plated input terminals

KFC-1058S

Dual Cone Flush Mount Speaker

PEAK POWER >>> 90 W

Dual Cone

- 100mm Pearl-Mica injection-molded P.P. cone woofer
- Gold-plated input terminals


Model	Type	Peak Power	Sensitivity	Frequency response	Magnet Weight	Mounting depth
■ KFC-6949S	Dual Cone	160W	92dB/W/m	28Hz-25kHz	230g	74.5mm
■ KFC-1768S	2-Way 2-Speaker	140W	92dB/W/m	30Hz-22kHz	180g	45mm
■ KFC-1758S	Dual Cone	140W	92dB/W/m	30Hz-20kHz	150g	44.5mm
■ KFC-1368S	2-Way 2-Speaker	110W	91dB/W/m	40Hz-20kHz	125g	45mm
■ KFC-1358S	Dual Cone	110W	91dB/W/m	40Hz-20kHz	100g	45mm
■ KFC-1068S	2-Way 2-Speaker	90W	90dB/W/m	45Hz-22kHz	125g	42mm
■ KFC-1058S	Dual Cone	90W	90dB/W/m	45Hz-20kHz	100g	42mm

Concept Speaker Location Chart

TYPE	A: 7" x 10"	B: 6" x 9"	C: 4" x 6"	D: 20cm	E: 17cm	F: 13cm	G: 10cm
REFERENTIE/ HIGH QUALITY-SERIES	A: KFC-HQ718	B1: KFC-PSR901 B2: KFC-HQ698			E1: KFC-PSR701 E2: KFC-PSR71P E3: KFC-HQ178	F1: KFC-HQ138 F2: KFC-PSR501 F3: KFC-PSR51P	G1: KFC-PSR401
4/3-WAY SYSTEM	A: KFC-7198ie	B2: KFC-6989ie		D: KFC-2089ie	E4: KFC-1789ie	F1: KFC-1389ie	
2-WAY SYSTEM		B2: KFC-6959ie	C: KFC-4675		E5: KFC-P703 E6: KFC-1779ie E6: KFC-1768S E6: KFC-1758S E8: KFC-W1705	F4: KFC-P503 F5: KFC-1079ie F5: KFC-1368S F5: KFC-1379ie F5: KFC-1358S	G2: KFC-P403 G3: KFC-1068S G4: KFC-1068S G3: KFC-1058S
DUALCONE SYSTEM		B2: KFC-6949S					

Location

- 1: DUAL DASH
- 2: KICK PANEL
- 3: FRONT DOORPILLAR
- 4: REAR DOOR
- 5: REAR SEAT SIDE PANEL
- 6: REAR DECK
- 7: REAR SIDE
- 8: REAR HATCH SIDE PANEL
- 9: OTHER LOCATION



Brand	Year	Location	Speaker number
ALFA ROMEO			
ALFA 145 3d	94/9-00/10	3 E6 5 F5	
ALFA 146 5d	95/9-00/10	3 E6	
ALFA 155 4d	92/6-97/9	1 G2-4 6 E6	
ALFA 156 4d	97/9-	3 E2-6 4 E2-6 6 B1,2	
ALFA 164 4d	91/1-99/7	3 E3-7, F1-5 6 B1,2	
AUDI			
A3 3d	96/10-	3*1 F3 5*4 E2,6 6 A, B1,2, C, E1-7, F1-4, G1-4	
A3 5d	99/7-	4*4 E6 6 A, B1,2, C, E1-7, F1-4, G1-4	
A4 4d	95/9-01/10	2*2 F3,5 6*3 E2-6 4 E1-7 3 E1-7	
A4 5d	95/9-01/10	3*2 F3	
A6 4d	97/7-	3 E2-6	
A8 4d	94/8-99/5	4 E2-6 6 E6	
TT 2d	98/10-	3 E2,4,6 5*3 E1-6	
BMW			
3 series 4d	91/1-98/4	2 F3,5	
3 series Compact 3d	94/3-00/10	2 F3,5 6 B2, C, E1-6, F1-5, G1-4	
5 series 4d	88/1-95/12	6 F1-5 3 F3 6 F3,5	
73 2d	96/3-	2 F3,5	
CHRYSLER			
NEON 4d	94/9-	3 E1,2,4,6 6 B2 1 E2 6 A, B1,2, C, D, E1-7, F1-4, G1-4	
PT CRUISER 5d	00/7-	3 E2,6	
CITROËN			
AX 5d	91/8-98/12	3 F3-5	
AX First 3d	91/8-98/12	3 F3-5	
SAXO 3d	96/5-	3 F3 5 E6 6 A, B1,2, C, D, E1-7, F1-4, G1-4	
SAXO 5d	96/5-	1 F3 4 E6 6 A, B1,2, C, D, E1-7, F1-4, G1-4	
ZX 5d	91/5-97/9	3 F1,3-5 4 F4,5 6 B1,2, C, D, E1-7, F1-4, G1-4	
XSARA 3d	97/9-	6 B1,2, C, D, E1-7, F1-4, G1-4	
XSARA 5d	97/9-	3 E2-6 4 F3 6 B1,2, C, E1,3-7, F1-5, G1-4	
XANTIA 5d	92/3-01/9	3 F3 4 F3 6 B1,2, C, F1-5, G1-4	
XANTIA 5d/Stationwagon	92/3-01/9	3 E2,6 4 F3 3 E6	
XM V6 5d	89/7-99/12	3 E6	
EVASION 5d	94/3-01/9	3 E2-6 5 E1-6 6 F4,5, G1-4	
DAEWOO			
MATIZ 5d (Power windows)	98/7-	4 G1,3 5 C 6 G1-4	
MATIZ 5d (Manual windows)	98/7-	4 G1,3 5 E6 6 G1-4	
LANOS 3d	97/10-	6 A, B1,2, C, D, E1-7, F1-4, G1-4	
LANOS 4d	97/10-	6 A, B1,2, C, D, E1-7, F1-4, G1-4	
LANOS 5d	97/10-	6 A, B1,2, C, D, E1-7, F1-4, G1-4	
NUBIRA 4d	97/7-	8 C 6 E6	
NUBIRA Stationwagon	97/8-	3 E3-6 8 F5 3 E3-6 6 B1,2	
LEGANZA 4d	97/10-	6 B1,2	
NEXIA 4d	95/3-98/1	6 E2-6	
FIAT			
SPORCINO/QUECENTO 3d	92/4-98/3	6 B1,2, C, E3-7, F1-, G1-4	
SEICENTO 3d	98/3-	6 A, B1,2, C, E1,3-7, F1-4, G1-4	
PUNTO 3d	93/12-99/9	5 B1,2, C, E3-7, F1-5, G1-4	
PUNTO 3/5d	99/9-	3 E2,6 6 A, B1,2, C, E1-7, F1-5, G1-4	
SIENA EL 1.4L 4d	97/7-	6 A, B1,2, C, E1-7, F1-5, G1-4	
SIENA HL 1.6L 4d	97/7-	3 E6 6 E3-6, F3,5, G1,3,4 6 E6	
BRAVO 3d	95/10-01/10	6 B1,2, C, E3-6, F1-5, G1-4	
BRAVA 5d	95/10-01/10	6 B1,2, C, E3-6, F1-5, G1-4	
MULTIPLA 5d	99/2-	1 G1,3,4 3 E6	
ULYSSE 5d	94/3-	3 E2-6 5 E1-6 6 F4,5, G1-4	
FORD			
FIESTA '96 3d	96/1-99/10	3 F3	
FIESTA '02 5d	01/9-	6 C, E1,3-7, F1-5, G1-4	
PUMA 3d	97/11-	3 G1-4 3 E3-6	
ESCORT 3d	91/10-98/10	6 C, E3-6, F1-5, G1-4	
FOCUS 5d	98/10-	6 A, B1,2, C, E1,3-7, F1-5, G1-4	
MONDEO 5d	00/9-	6 B1,2, C, E1-7, F1-5, G1-4	
GALAXY MPV	95/5-00/7	4 E6	
HONDA			
CIVIC CRX VTi 3d	91/9-	3 G2,4	
CIVIC 3d	95/10-01/8	3 E3-6 8 B1,2 3 E3-6 6 B1,2	
CIVIC 4d	96/1-02/4	6 B1,2	
CIVIC 5d	95/1-01/5	3 E3-6 6 A, B1,2, C, D, E1-6, F1-4, G1-4	
ACCORD 4d	93/6-	3 E3-6	
ACCORD 5d	96/1-	3 E3-6 6 B1,2 6 E3-6	
PRELUDE 2d	92/4-	6 E3-6	
HYUNDAI			
COUPE 3d	97/1-	3 E6 5 B1,2	
LADA			
2104 5d	-	6 C, F2,5, G1-4 8 F3 3 F3	
2110 4d	97/4-	6 F2,3,5, G1,3,4	
21099 4d	93-95	6 F3	
2108Z/1083 3d	95-	1 F3 6 A, B1,2, C, E1-7, F1-5, G1-4 8 F1,3-5	
NIVA 3d	93-	1 F3 3 F3	

Brand	Year	Location	Speaker number
LANCIA			
Y10 3d	85/6-92/9	3 G3,4 6 A, B1,2, C, E3-7, F1-5, G1-4	
3 F2,5	92/10-96/1	3 F2,5	
Y'YPSILON' 3d	96/1-	6 B1,2, C, E1-7, F1-5, G1-4	
DEDRA 5d	94/9-99/7	1 G4	
Z (ZETA) 5d	94/3-	9 E2,6 6 E1-6 6 F4,5, G1-4	
MAZDA			
323 4d	89/9-94/10	6 B1,2, C, E3-7, F1-5, G1-4	
323 Hatchback 3d	94/10-	4 E2,6	
323 F 5d	94/10-	4 E2,6	
323 Fastbreak 5d	98/8-	4 E2,6	
626 5d	92/1-98/9	6 A, B1,2, C, D, E1-7, F1-5, G1-4	
626 Sedan 4d	98/9-	6 B1,2	
626 Hatchback 5d	98/9-	6 E3-7, F1-5, G1-4	
PREMACY MPV	99/6-	4 E2	
DEMIO MPV	98/8-	3 E6 4 E6	
MERCEDES BENZ			
C-Class (W202) 4d	93/8-00/10	6 E3-7	
E-Class (W124) 4d	85/1-95/6	6 C, F1,5, G1-4	
VITO/IV-CLASS MPV	96/9-	5 F3-5	
MITSUBISHI			
COLT 3d	96/2-	5 E2,6	
LANCER 4d	96/2-	6 E2,6,6	
CARISMA 4d	96/10-	6 E6	
CARISMA 5d	95/6-	8 E6	
GALANT SEDAN 4d	93/3-	6 B1,2	
SIGMA 4d	93/6-95/12	6 B1,2	
SPACESTAR 4d	98/9-	4 E2,6	
SPACEWAGON 5d	91/10-98/7	5 E2	
MOSKVICH			
2141 4d	78-	1 F3	
NISSAN			
ALMERA 3d	95/10-	3 E3-6 6 A, B1,2, C, D, E1-6, F1-5, G1-4	
ALMERA 4d	95/10-	8 E2,6 3 E3-6 6 E1-6 3 E6	
ALMERA 5d	95/10-	3 E3-6 6 A, B1,2, C, D, E1-6, F1-5, G1-4	
PRIMERA 4d	91/9-96/9	8 E2,6 6 E6	
PRIMERA 5d	96/9-	3 E6	
MAXIMA OX 4d	95/9-	6 C, E1,3-7, F1-5, G1-4 3 E2,6 6 E2,6	
OPEL			
CORSA 3d	82/10-90/8	3 C, G1,3,4 5 G1,3,4 6 A, B1,2, C, D, E1-7, F1-3,5, G1,3,4 8 G3,4	
3 F3	93/4-00/10	3*5 F3 6 C, F1-5, G1-4	
3 F3	00/10-	8 F3 3 E2,6 6 A, B1,2, C, D, E1-7, F1-5, G1-4	
3 F3,5	93/4-00/10	3*5 F3 8 F3 6 C, F1-5, G1-4	
TIGRA 3d	95/2-00/1	6 C, F1-5, G1-4	
ASTRA 5d	91/10-98/3	3 E2,6 6 A, B1,2, C, D, E1-7, F1-5, G1-4	
ZAFIRA 5d	99/5-	3 E6	
VECTRA 4d	93/1-95/11	6 E6	
VECTRA 4d	02/5-	4 E1-7	
CALIBRA 3d	90/8-97/7	3 E2,6 6 A, B1,2, C, D, E1-7, F1-5, G1-4	
FRONTIERA 3/5d	91/6-98/10	5 C, E3-6, F1,3-5	
OMEGA 4d	94/4-	6 E2-6	
PEUGEOT			
106 XN/XR 3d	91/10	3 F3,5	
205 3d	83/9-98/8	6 A, B1,2, C, D, E1-7, F1-5, G1-4 7 F5 3 E6	
206 3d	98/9-	5 F3-5 6 C, F2,5, G1-4	
206 5d	98/9-	3 E6 4 F3,4 6 C, F2,5, G1-4	
206 CC 5d	01/1-	5 C4 3 E6	
306 3d	93/1-97/3	3 E6 6 A, B1,2, C, D, E1-7, F1-5, G1-4	
306 5d	93/1-97/3	3 E6 6 A, B1,2, C, D, E1-7, F1-5, G1-4	
306 CABRIO 2d	97/3-02/2	3 E6	
306 3d	97/3-00/2	6 A, B1,2, C, D, E1-7, F1-5, G1-4	
306 SEDAN 4d	97/3-02/2	3 E6	
306 5d	97/3-00/2	6 A, B1,2, C, D, E1-7, F1-5, G1-4	
306 STATIONWAGON 5d	97/3-00/2	3 E6 3 E2-7 4 F1,3,5	
307 SW 5d	02/3-	6 A, B1,2, C, D, E1-7, F1-5, G1-4	
405 4d	92/6-95/9	3 E6	
405 STATIONWAGON 5d	92/6-95/9	6 C, E3-7, F1-5, G1-4	
406 4d	95/9-	3 E2-7	
605 4d	89/9-99/9	4 E7 6 A, B1,2, C, E1-7, F1-5, G1-4	
806 5d	94/3-	3 E2-6 3 E1-6 6 F4,5, G1-4	
RENAULT			
TWINGO 3d	93/10-98/10	6 C, F1-5, G1-4	
TWINGO II 3d	98/8-	1 G2,4	
CLIO 3d	90/5-98/2	6 B1,2, C, D, E1-7, F1-5, G1-4 8 G2,4 3 C, E3-7, F1-5, G1-4	
CLIO RT 1.4 5d	90/5-98/2	1 G2,4 3 C, E3-7, F1-5, G1-4 6 A, B1,2, C, D, E1-7, F1-5, G1-4	
CLIO II 3d	92/9-	3 F1-3,5 5 F1,3,5 6 C, F1-5, G1-4	
CLIO II 5d	98/2-	3 F1,3,5	
KANGOO 3/4/5MPV	97/11-	6 A, B1,2, C, D, E1-7, F1-5, G1-4	
MEGANE Cabrio 2d	96/1-	3 E2,6, F3,5	
MEGANE 3d	96/1-	3 E2,6, F3,5 6 F3,5 3 E2,6, F3,5	
MEGANE 5d (Power window)	96/1-	3 E2,6, F3,5 6 B1,2, C, E1-6, F1-5, G1-4	
MEGANE 5d (Manual window)	96/1-	3 F3,5 6 B1,2, C, E1-6, F1-5, G1-4	
MEGANE Classic 4d	96/10-	8 F3,5 3 E2,6, F3,5 6 F2,5	
RENAULT			
MEGANE SCENIC 5d MPV	96/9-	3 F3,5 6 B1,2, C, E3-7, F1-5, G1-4	
LAGUNA 5d	94/1-01/3	3 F3,5 3 E2,4,6 6 B1,2, C, D, E1-7, F1-5, G1-4 8*7 E2,6	
LAGUNA Stationwagon	94/1-01/3	3 E2,4,6	
SAFRANE 5d	92/3-96/7	3 E2-6 4 E2-6 6 A, B1,2, C, D, E1-7, F1-5, G1-4	
ESPACE	91/5-97/1	1 E2-6 7 E2,6 4 E2,4,6	
ROVER			
200 5d	89/8-99/12	3 E2,4,6 6 C, F2,3,5 8 F3-5	
600 4d	93/3-99/9	6 B1,2	
SAAB			
9-5 5d	99/2-	3 E2,4,6 4 F3	
900 3d	94/1-	6 A, B1,2, C, D, E1-7, F1-5, G1-4 3 E1,2,6 6 A, B1,2, C, D, E1,2, F1,5, G1-4 8 B1,2	
9000 5d	84/10-97/8	1 G2,4 3 C, G1,3,4 4 C, G1,3,4 6 A, B1,2, C, D, E1-7, F1-5, G1-4 8 A, B1,2, C, E1-7, F2,5, G1-4	
SEAT			
AROSA 3d	97/5-	3*9 E2-6	
IBIZA 5d	89/1-93/4	3 F3,5, G3,4	
IBIZA 3/5d	93/5-99/10	6 A, B1,2, C, D, E1-7, F1-5, G1-4 3 E1,2	
IBIZA 3/5d	99/10-	6 B1,2, C, D, E1-7, F1-5, G1-4 3 E2,6 6 C, G1,3,4	
LEON 5d	00/4-	3*8 E2,6 4*8 E2,6 6 A, B1,2, C, D, E1-7, F1-5, G1-4	
CORDOBA SX 2d	96/4-99/10	3 E2,6	
CORDOBA 4d	93/12-99/10	3 E2,6	
CORDOBA Variant 5d	97/11-99/10	3 E2,6	
TOLEDO 4d	99/2-	3*9 E1-6 4*9	

Custom Fit Speakers

All the speakers you see here are designed to easily slot into the cut-outs of the original units installed at the factory. In most cases, no modification will be needed except perhaps the use of a spacer. These models have no grilles since these should be available as part of the original car interior.



Integrated Component Speaker System

KFC-P727EC

Integrated Component Speaker System





ALFA ROMEO	CITROEN
FIAT	LANCIA
PEUGEOT	RENAULT

PEAK POWER >>> 160W

2 WAY COMPONENT

KFC-P523EC

Integrated Component Speaker System



ALFA ROMEO	BMW
CITROEN	HYUNDAI
LADA	MERCEDES
VAUXHALL	PEUGEOT
RENAULT	ROVER
SEAT	VOLVO

PEAK POWER >>> 140W

2 WAY COMPONENT

KFC-P683C

2-Way Separate Component Speaker Package



CHRYSLER	FIAT
FORD	MAZDA

PEAK POWER >>> 170W

2 WAY COMPONENT

6" X 8" Speakers

KFC-HQ688C

2-Way Speaker

HQ
High Quality Series



FORD MAZDA

PEAK POWER >>> **220W**

2 WAY 2 SPEAKERS

NEW

KFC-C6889ie

3-way Custom Fit Speaker System



FORD MAZDA

PEAK POWER >>> **240W**

3 WAY 3 SPEAKERS

NEW

KFC-C6879ie

2-way Custom Fit Speaker System



FORD MAZDA

PEAK POWER >>> **220W**

2 WAY 2 SPEAKERS

5" X 7" Speaker

KFC-5708C

2-way Custom Fit Speaker System



FIAT FORD

MAZDA

PEAK POWER >>> **140W**

2 WAY 2 SPEAKERS

4" X 6" Speakers

KFC-PSR467C

High Performance Flush Mount Speaker



NISSAN SEAT

PEAK POWER >>> **100W**

2 WAY 2 SPEAKERS

KFC-4625C

2-Way Speaker



NISSAN SEAT

VW

PEAK POWER >>> **60W**

2 WAY 2 SPEAKERS

170mm Speakers

KFC-PSR177C

High Performance Flush Mount Speaker

EUROSIZE



ALFA ROMEO	AUDI
CHRYSLER	CITROEN
DAEWOO	FIAT
HONDA	LANCIA
NISSAN	OPEL
PEUGEOT	RENAULT
ROVER	SEAT
VOLVO	VW

PEAK POWER >>> 200W

2 WAY 2 SPEAKERS

NEW

KFC-C1739ie

3-way Flush Mount Speaker System

EUROSIZE



ALFA ROMEO	AUDI
CHRYSLER	CITROEN
DAEWOO	FIAT
FORD	HONDA
LANCIA	NISSAN
PEUGEOT	RENAULT
ROVER	SAAB
SEAT	OPEL
VOLVO	VW

PEAK POWER >>> 170W

3 WAY 3 SPEAKERS

KFC-1728C

2-Way Speaker

EUROSIZE



ALFA ROMEO	AUDI
CHRYSLER	CITROEN
DAEWOO	FIAT
FORD	HONDA
LANCIA	MAZDA
NISSAN	OPEL
PEUGEOT	RENAULT
ROVER	SAAB
SEAT	SKODA
VOLVO	VW

PEAK POWER >>> 140W

2 WAY 2 SPEAKERS

KFC-1718C

Dual Cone Speaker

EUROSIZE



ALFA ROMEO	AUDI
CHRYSLER	CITROEN
DAEWOO	FIAT
FORD	HONDA
LANCIA	MAZDA
NISSAN	OPEL
PEUGEOT	RENAULT
ROVER	SAAB
SEAT	SKODA
VOLVO	VW

PEAK POWER >>> 140W

Dual Cone

130mm Speakers

KFC-PSR137C

High Performance Flush Mount Speaker



AUDI	BMW
CITROEN	DAEWOO
HONDA	LADA
OPEL	PEUGEOT
RENAULT	ROVER
SEAT	SKODA
VOLVO	

PEAK POWER >>> 160W

2 WAY 2 SPEAKERS

NEW

KFC-C1339ie

3-way Flush Mount Speaker System



ALFA ROMEO	AUDI
BMW	CITROEN
DAEWOO	HONDA
LADA	OPEL
PEUGEOT	RENAULT
ROVER	SEAT
SKODA	VOLVO

PEAK POWER >>> 140W

3 WAY 3 SPEAKERS

KFC-1328C

2-Way Speaker



ALFA ROMEO	AUDI
BMW	CITROEN
DAEWOO	HONDA
LADA	OPEL
PEUGEOT	RENAULT
ROVER	SEAT
SKODA	VOLVO

PEAK POWER >>> 110W

2 WAY 2 SPEAKERS

KFC-1318C

Dual Cone Speaker



ALFA ROMEO	AUDI
BMW	CITROEN
DAEWOO	HONDA
LADA	OPEL
PEUGEOT	RENAULT
ROVER	SEAT
SKODA	VOLVO

PEAK POWER >>> 110W

Dual Cone

100mm Speakers

KFC-PSR108C

High Performance Flush Mount Speaker



- | | |
|---------|---------|
| CITROEN | DAEWOO |
| FIAT | FORD |
| HONDA | RENAULT |
| SEAT | SUZUKI |

PEAK POWER >>> 100W
2 WAY 2 SPEAKERS

KFC-PSR107C

High Performance Flush Mount Speaker



- | | |
|--------|----------|
| DAEWOO | MERCEDES |
| SAAB | SEAT |
| VOLVO | VW |

PEAK POWER >>> 100W
2 WAY 2 SPEAKERS

KFC-1028C

2-Way Speaker



- | | |
|------------|---------|
| ALFA ROMEO | CITROEN |
| DAEWOO | FIAT |
| FORD | HONDA |
| LANCIA | OPEL |
| RENAULT | SAAB |
| SEAT | SUZUKI |
| TOYOTA | |

PEAK POWER >>> 90 W
2 WAY 2 SPEAKERS

KFC-1022C

2-Way Speaker



- | | |
|----------|-------|
| DAEWOO | FIAT |
| LANCIA | MAZDA |
| MERCEDES | SAAB |
| SEAT | VOLVO |
| VW | |

PEAK POWER >>> 80 W
2 WAY 2 SPEAKERS

KFC-1018C

Dual Cone Speaker



- | | |
|------------|---------|
| ALFA ROMEO | CITROEN |
| DAEWOO | FIAT |
| FORD | HONDA |
| LANCIA | OPEL |
| RENAULT | SAAB |
| SEAT | SUZUKI |
| TOYOTA | |

PEAK POWER >>> 90 W
Dual Cone

KFC-1012C

Dual Cone Speaker



- | | |
|----------|-------|
| DAEWOO | FIAT |
| LANCIA | MAZDA |
| MERCEDES | SAAB |
| SEAT | VOLVO |
| VW | |

PEAK POWER >>> 80 W
Dual Cone

87mm Speakers

KFC-820EC

Dashboard Speaker



- | |
|------|
| FIAT |
|------|
- PEAK POWER >>> 40 W
2 WAY 2 SPEAKERS

KFC-835C


Dashboard Speaker




- | |
|------|
| FIAT |
|------|
- PEAK POWER >>> 40 W
Dual Cone

Custom Fit Speaker Location Chart


2-DOOR



3-DOOR



4-DOOR



5-DOOR



POSITION

- 1: DUAL DASH
- 2: KICK PANEL
- 3: FRONT DOOR
- 4: REAR DOOR
- 5: REAR SEAT SIDE PANEL
- 6: REAR DECK
- 7: REAR SIDE PILLAR
- 8: REAR HATCH SIDE PANEL
- 9: OTHER LOCATION

ALFA ROMEO

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
ALFA 145 3-door	94/4-00/10	3	KFC-P727EC	KFC-P726EC		KFC-1728C	KFC-1718C
		5	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
ALFA 146 5-door	94/9-00/10	3	KFC-P727EC	KFC-P726EC		KFC-1728C	KFC-1718C
ALFA 155 4-door	92/6-97/9	1		KFC-PSR108C		KFC-1028C	KFC-1018C
		6	KFC-P727EC*	KFC-PSR177C		KFC-1728C	KFC-1718C
ALFA 156 4-door	97/9-	3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		4	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C

DAEWOO

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
MATIZ 5-door	98/7-	3		KFC-PSR107C		KFC-1022C	KFC-1012C
LANOS 3-door	97/10-	3		KFC-PSR108C		KFC-1028C	KFC-1018C
LANOS 4-door	97/10-	3				KFC-1028C	KFC-1018C
LANOS 5-door	97/10-	3				KFC-1028C	KFC-1018C
NUBIRA Stationwagon 5-door	97/8-	8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
LEGANZA 4-door	97/10-	3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C

AUDI

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
A3 3-door	96/10-	3*1	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
		5*4	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
A3 5-door	99/7-	3*1	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
		4*4	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
A4 4/5-door	95/9-01/10	3*2	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
		6*3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
A6 4-door	97/7-	3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		4	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
A8 4-door	94/8-99/5	6	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
TT 3-door	98/10-	3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		5*3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C

FIAT

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
500/CINQUECENTO 3-door	92/4-98/3	1				KFC-1028C	KFC-1018C
PUNTO 3-door	93/12-99/9	1				KFC-820EC	
		8		KFC-PSR108C		KFC-1028C	KFC-1018C
PUNTO 3/5-door	99/9-	3	KFC-P727EC*			KFC-1728C	KFC-1718C
SIENA HL 1,6L 4-door	97/7-	3	KFC-P727EC*			KFC-1728C	KFC-1718C
		6	KFC-P727EC*			KFC-1728C	KFC-1718C
MULTIPLA 5-door	99/2-	3	KFC-P727EC*			KFC-1739ie	KFC-1728C
		4	KFC-P683C*	KFC-HQ688C	KFC-C689ie	KFC-C6879ie	
ULYSSE 5-door	94/3-	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
		5			KFC-PSR177C	KFC-C1739ie	KFC-1728C

BMW

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
3-SERIES 4-door	91/12-98/4	2	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
3-SERIES COMPACT 3-door	94/3-00/10	2	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
5-SERIES 4-door	88/1-95/12	2	KFC-P523EC*			KFC-1328C	KFC-1318C
		6	KFC-P523EC*			KFC-1328C	KFC-1318C
5-SERIES 4-door	96/1-	3	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
		6	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
Z3 2-door	96/3-	2	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C

CHRYSLER

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
NEON 4-door	94/9-	3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
PT CRUISER 5-door	00/7-	3	KFC-P727EC		KFC-C1739ie	KFC-1728C	KFC-1718C
		7	KFC-P683C*	KFC-HQ688C	KFC-C689ie	KFC-C6879ie	KFC-6808C

CITROËN

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
AX First 3-door	91/8-98/12	5	KFC-P523EC*			KFC-1328C	KFC-1318C
AX 5-door	91/8-98/12	3	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
SAXO 3-door	96/5-	3	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
		5		KFC-PSR108C		KFC-1028C	KFC-1018C
SAXO 5-door	96/5-	3	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
		4		KFC-PSR108C		KFC-1028C	KFC-1018C
ZX 5-door	91/5-97/9	3	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
XSARA 3-door	97/9-	1	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
XSARA 5-door	97/9-	1	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1718C
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1718C
XANTIA 5-door / Stationwagon	92/3-01/9	4	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
		1	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
XM 5-door	89/7-99/12	3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
EVASION 5-door	94/3-01/9	1	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1718C
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1718C
		5			KFC-PSR177C	KFC-C1739ie	KFC-1718C

FORD

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
FIESTA '02 5-door	01/9-	3	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
		4	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
FOCUS 5-door	98/10-	3	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
		4	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
MONDEO 4-door	96/10-00/11	3	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
		4	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
MONDEO 5-door	00/9-	3	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
		4	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
MONDEO hatchback 5-door	96/10-00/11	3	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
		4	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
MONDEO stationwagon 5-door	96/10-00/11	3	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
		4	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
GALAXY MPV	95/5-00/7	3	KFC-P727EC*			KFC-C1739ie	KFC-1728C
		4	KFC-P727EC*			KFC-1728C	KFC-1718C
COUGAR 2-door	98/10-	3	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie
		4	KFC-P683C*		KFC-HQ688C	KFC-C689ie	KFC-C6879ie

Note: KFC-P727EC* & KFC-P523EC* mount the tweeter to the dash.

HONDA

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
CIVIC CRX VTi 3-door	91/9-	3		KFC-PSR108C		KFC-1028C	KFC-1018C
CIVIC 5-door	95/1-01/5	8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C

LADA

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
2104 5-door	-	8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
2110 4-door	97/4-	3	KFC-P523EC*			KFC-1328C	KFC-1318C
21099 4-door	93-95	6	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
2108/21083 3-door	95-	8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
NIVA 3-door	93-	8	KFC-P523EC	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C

LANCIA

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
Y10 3-door	85/6-92/9	3				KFC-1028C	KFC-1018C
Y*YPSILON* 3-door	96/1-	3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
DEDRA 5-door	94/9-99/7	1				KFC-1028C	KFC-1018C
		9		KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
Z(ZETA) 5-door	94/3-	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
		5		KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C

MAZDA

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
323 4-door	89/9-94/1	1				KFC-1022C	KFC-1012C
	98/8-	4	KFC-P727EC*			KFC-1728C	KFC-1718C
323 Fastbreak 5-door	98/8-	3	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
		4	KFC-P727EC*			KFC-1728C	KFC-1718C
626 4-door	92/1-98/9	3	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
		6	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
	98/9-	3	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
		4	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
626 5-door	92/1-98/9	3	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
		8	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
626 Hatchback 5-door	98/9-	3	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
		4	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
626 Stationwagon 5-door	98/9-	3	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
		4	KFC-P683C*	KFC-HQ688C	KFC-C6889ie	KFC-C6879ie	
					KFC-6808C	KFC-5708C	
DEMIO MPV 5-door	98/8-	3	KFC-P727EC*			KFC-1728C	KFC-1718C
		4	KFC-P727EC*			KFC-1728C	KFC-1718C

MERCEDES

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
C-CLASS 4-door	93/8-00/10	3	KFC-P724EC				
VITANO-CLASS MPV	96/9-	1		KFC-PSR107C		KFC-1022C	KFC-1012C

NISSAN

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
ALMERA 4-door	95/10-	6	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
PRIMERA 4-door	91/9-96/9	3		KFC-PSR467C		KFC-4625C	KFC-466E
		6	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
TERRANO II 3-door	94/8-	5		KFC-PSR467C			

OPEL

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
CORSA 3-door	82/10-90/8	8				KFC-1028C	KFC-1018C
	93/4-00/10	3*	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
	00/10-	3	KFC-P727EC				
ASTRA 5-door	91/10-98/3	8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
ASTRA II 2/3/4/5-door	98/4-	3	KFC-P725EC*				
ZAFIRA 5-door	99/5-	3	KFC-P725EC				
VECTRA 4-door	93/1-95/11	3	KFC-P725EC				
	95/11-02/3	3	KFC-P725EC				
	02/5-	4	KFC-P725EC*				
VECTRA 5-door	95/11-02/3	3	KFC-P725EC				

OPEL

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
VECTRA Stationwagon 5-door	96/11-02/3	3	KFC-P725EC				
CALIBRA 3-door	90/8-97/7	3	KFC-P725EC				
FRONTERA 3/5-door	91/6-	1				KFC-1028C	KFC-1018C
OMEGA 4-door	94/4-	3	KFC-P725EC				

PEUGEOT

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
106 XNVR 3-door	91/10-	3	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
205 XL 3-door	83/9-98/8	3	KFC-P523EC*			KFC-C1339ie	KFC-1328C
206 3-door	98/9-	3	KFC-P727EC*			KFC-C1739ie	KFC-1728C
		5	KFC-P523EC*	KFC-PSR137C		KFC-C1339ie	KFC-1328C
206 5-door	98/9-	3	KFC-P727EC*			KFC-C1739ie	KFC-1728C
		4	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
206 CC 2-door	01/1-	3					KFC-1728C
		5		KFC-PSR107C			KFC-1022C
306 CABRIO 2-door	97/3-02/2	3	KFC-P727EC*				KFC-1728C
306 3-door	93/1-97/3	3	KFC-P727EC*				KFC-1728C
	97/3-	3	KFC-P727EC*				KFC-1728C
306 SEDAN 4-door	97/3-02/2	3	KFC-P727EC*				KFC-1728C
306 5-door	97/3-00/2	3	KFC-P727EC*				KFC-1728C
306 Stationwagon 5-door	97/3-00/2	3	KFC-P727EC*				KFC-1728C
307 SW 5-DOOR	02/3-	1	KFC-P726EC				
		3	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
405 4/5-door Stationwagon	92/6-95/9	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC			KFC-1728C
406 2/4/5-door Stationwagon	95/9-	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
605 4-door	89/9-99/9	3		KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
806 5-door	94/3-	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
		5	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C

RENAULT

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
TWINGO 3-door	93/10-98/10	1*		KFC-PSR108C		KFC-1028C	KFC-1018C
CLIO 3-door	90/5-98/2	1				KFC-1028C	KFC-1018C
		8		KFC-PSR108C		KFC-1028C	KFC-1018C
CLIO RT 1.4 5-door	90/5-98/2	1				KFC-1028C	KFC-1018C
		8		KFC-PSR108C		KFC-1028C	KFC-1018C
CLIO II 3-door	98/2-	3	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
		5	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
CLIO II 5-door	98/2-	3	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
KANGOO 3/4/5MPV	97/11-	1		KFC-PSR108C		KFC-1028C	KFC-1018C
		8		KFC-PSR108C		KFC-1028C	KFC-1018C
MÉGANE Cabrio 2-door	96/1-	3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
			KFC-P523EC	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
MÉGANE 3-door	96/1-	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
			KFC-P523EC	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
		6	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
MÉGANE Power window 5-door	96/1-	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
			KFC-P523EC	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
		8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
MÉGANE Manual window 5-door	96/1-	8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
MÉGANE CLASSIC 4-door	96/10-	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
			KFC-P523EC	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
MÉGANE SCENIC 5-door MPV	96/9-	3	KFC-P523EC	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
		8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
LAGUNA 5-door	94/1-01/3	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
		8*7	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
LAGUNA 5-door Stationwagon	94/1-01/3	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
SPACE 5-door	91/5-97/1	1	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
		7	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
	97/1-	4	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
SAFRANE 5-door	92/3-96/7	1	KFC-P727EC	KFC-P726EC			
		3	KFC-P727EC	KFC-P726EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C
		4		KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C

Note: KFC-P727EC* & KFC-P523EC* mount the tweeter to the dash.

ROVER

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
200 5-door	89/8-99/12	3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C

SAAB

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
9-5 5-door	99/2-	3	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
900 3-door	94/1-	1				KFC-87E	KFC-835C
9000 5-door	84/10-97/8	1		KFC-PSR107C		KFC-1028C	KFC-1018C
						KFC-1022C	KFC-1012C

SEAT

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone	
AROSA 3-door	97/5-	1	KFC-P723EC	KFC-PSR107C		KFC-1022C	KFC-1012C	
		3*9	KFC-P727EC*	KFC-PSR177C	KFC-1728C	KFC-1718C		
IBIZA 5-door	89/1-93/4	3	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C	
				KFC-PSR108C		KFC-1028C	KFC-1018C	
		8		KFC-PSR467C		KFC-4625C	KFC-466E	
IBIZA 3/5-door	93/5-99/10	1	KFC-P723EC	KFC-PSR107C		KFC-1022C	KFC-1012C	
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		8		KFC-PSR467C		KFC-4625C	KFC-466E	
LEON 5-door	00/4-	3*8		KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C	
		4*8	KFC-P727EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C	
CORDOBA SX 2-door	96/4-99/10	1	KFC-P723EC	KFC-PSR107C		KFC-1022C	KFC-1012C	
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		6				KFC-4625C	KFC-466E	
CORDOBA 4-door	93/12-99/10	1	KFC-P723EC	KFC-PSR107C		KFC-1022C	KFC-1012C	
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		6				KFC-4625C	KFC-466E	
CORDOBA VARIANT 5-door	97/11-99/10	1	KFC-P723EC					
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
TOLEDO 5-door	91/5-99/2	1					KFC-835C	
		8		KFC-PSR467C		KFC-4625C	KFC-466E	
TOLEDO 4-door	99/2-	3*9	KFC-P727EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C	
		4*9	KFC-P727EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C	
ALHAMBRA MPV	95/5-	3	KFC-P727EC*		KFC-C1739ie	KFC-1728C	KFC-1718C	
		4	KFC-P727EC*			KFC-1728C	KFC-1718C	

SKODA

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
FELICIA 5-door	95/2-98/3	3	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
OCTAVIA 5-door	97/2-	3	KFC-P727EC*			KFC-1728C	KFC-1718C
		8	KFC-S23EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C

SUZUKI

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
SWIFT CABRIO 2-door	92/1-	1		KFC-PSR108C		KFC-1028C	KFC-1018C
		9		KFC-PSR108C		KFC-1028C	KFC-1018C
SWIFT 3/5-door	91/12-	1		KFC-PSR108C		KFC-1028C	KFC-1018C

VOLVO

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
400 5-door	88/9-96/12	3	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
		8	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
460 4-door	90/1-96/12	3	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
		6	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C

VOLVO










Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone
S40 4-door	96/3-	1		KFC-PSR107C		KFC-1022C	KFC-1012C
		3	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
		6	KFC-P523EC*	KFC-PSR137C	KFC-C1339ie	KFC-1328C	KFC-1318C
V40 4-door	96/3-	1		KFC-PSR107C		KFC-1022C	KFC-1012C
		3	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C
		7	KFC-P523EC*		KFC-C1339ie	KFC-1328C	KFC-1318C

VW

Car	Year	Position	Compo type	HQ-serie	3-way	2-way	Dual cone	
Lupo 3-door	98/10-	3*9	KFC-P727EC*	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C	
POLO 3/5-door	94/10-99/11	1		KFC-PSR107C		KFC-1022C	KFC-1012C	
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
POLO VARIANT 5-door	97/11-	1	KFC-P723EC					
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
POLO CLASSIC 4-door	96/3-02/1	1	KFC-P723EC					
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		6					KFC-4625C	
POLO 3-door	99/11-02/1	3	KFC-P727EC*					
	01/12-	3*9		KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C	
GOLF III CABRIO 2-door	93/9-	1	KFC-P723EC					
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
GOLF III 3-door	91/11-97/12	1	KFC-P723EC					
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
GOLF III 5-door	91/11-97/12	1	KFC-P723EC					
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		4	KFC-P727EC*					
GOLF III VARIANT 5-door	93/9-99/7	1	KFC-P723EC					
		3	KFC-P727EC*	KFC-P723EC	KFC-PSR177C	KFC-C1739ie	KFC-1728C	KFC-1718C
		4	KFC-P727EC*					
GOLF IV 3-door	97/9-	3*8	KFC-P727EC					
GOLF IV 5-door	97/9-	3*8	KFC-P727EC					
		4*8	KFC-P727EC					
GOLF IV VARIANT 5-door	99/7-	3*8	KFC-P727EC					
		4*8	KFC-P727EC					
VENTO 4-door	92/2-98/10	1	KFC-P723EC					
		3	KFC-P727EC*	KFC-P723EC				
		4	KFC-P727EC*				KFC-1728C	
BORA 4-door	98/11-	3*8	KFC-P727EC					
		4*8	KFC-P727EC					
BORA VARIANT 5-door	99/7-	3*8	KFC-P727EC					
		4*8	KFC-P727EC					
BEETLE 3-door	98/11-	3*9	KFC-P727EC					
		5*8	KFC-P727EC*					
PASSAT 4-door	88/4-93/9	1		KFC-PSR107C		KFC-1022C	KFC-1012C	
		93/9-96/10	1		KFC-PSR107C		KFC-1022C	KFC-1012C
	96/7-00/11	3*8	KFC-P727EC					
		4*8	KFC-P727EC					
	00/11-	3*8	KFC-P727EC					
		4*8	KFC-P727EC					
PASSAT VARIANT 5-door	97/6-00/11	3*8	KFC-P727EC					
		4*8	KFC-P727EC					
	00/11-	3*8	KFC-P727EC					
		4*8	KFC-P727EC					
SHARAN MPV	95/5-00/7	3	KFC-P727EC*					
		4	KFC-P727EC*					
	00/7-	3	KFC-P727EC					
		4	KFC-P727EC					

Note: KFC-P727EC* & KFC-P523EC* mount the tweeter to the dash.

KENWOOD Original Spacer

EKA-A01 (POSITION 3) • AUDI A3  <p>*1</p>	EKA-A02 (POSITION 3) • AUDI A4  <p>*2</p>	EKA-A03 (POSITION 6) • AUDI A4  <p>*3</p>	EKA-A04 (POSITION 4/5) • AUDI A3  <p>*4</p>
EKO-C01 (POSITION 3) • OPEL CORSA  <p>*5</p>	EKR-T01 (POSITION 1) • RENAULT • TWINGO  <p>*6</p>	EKR-L01 (POSITION 8) • RENAULT • LAGUNA  <p>*7</p>	EKV-P01 (POSITION 3/4) • VW PASSAT • VW GOLF • VW BORA  <p>*8</p>
EKV-P02 (POSITION 3) • VW LUPO • VW BEETLE • VW POLO • SEAT AROSA • SEAT LEON  <p>*9</p>			